

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/855,714	05/16/2001	Kazuaki Ebara	31869-171865	9422
26694	7590 05/02/2005		EXAM	INER
VENABLE LLP		HOFFMA	HOFFMAN, E	BRANDON S
P.O. BOX 34 WASHINGT	385 ON, DC 20435-9998		ART UNIT	PAPER NUMBER
			2136	

DATE MAILED: 05/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
		09/855,714	EBARA, KAZUAKI
	Office Action Summary	Examiner	Art Unit
		Brandon Hoffman	2136
Period fo	The MAILING DATE of this communication apport Reply	pears on the cover sheet with the	ne correspondence address
- Exte after - If the - If NC - Failu Any	MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a repl or period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	y within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS accesses the application to become ABAND	. ) days will be considered timely. from the mailing date of this communication. ONED (35 U.S.C. § 133).
_	Description (a) Shakes 60 A	1	
1)⊠	Responsive to communication(s) filed on <u>09 N</u>		
,	·—	s action is non-final.	procedution as to the morits is
3)∟	Since this application is in condition for allowa closed in accordance with the practice under <i>t</i>		
Disposit	ion of Claims		
4)⊠	Claim(s) 1-19 is/are pending in the application		
-	4a) Of the above claim(s) is/are withdra	wn from consideration.	
5)	Claim(s) is/are allowed.		
6)⊠	Claim(s) <u>1-19</u> is/are rejected.		
7)	Claim(s) is/are objected to.		
8)[	Claim(s) are subject to restriction and/o	or election requirement.	

## **Application Papers**

10)⊠ The drawing(s) t	iled on <u>16 May 2001</u> is/are: a)⊠ accepted or b)∐ objected to by the Examiner.
Applicant may no	t request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement dra	wing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11)☐ The oath or dec	aration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority under 35 U.S.C.	§ 119
12) ☐ Acknowledgmer	it is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Soi	ne * c)☐ None of:
1. Certified	copies of the priority documents have been received.
2. Certified	copies of the priority documents have been received in Application No

3. Copies of the certified copies of the priority documents have been received in this National Stage

\* See the attached detailed Office action for a list of the certified copies not received.

application from the International Bureau (PCT Rule 17.2(a)).

Attac	chme	ent(s)
-------	------	--------

• •	
1) Notice of References Cited (PTO-892)	4)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5)
Paper No(s)/Mail Date	6)

9) The specification is objected to by the Examiner.

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date
5) Notice of Informal Patent Application (PTO-152)
6) Other:

### **DETAILED ACTION**

1. Claims 1-19 are pending in this office action. Claims 16-19 are newly added.

2. Applicant's arguments, filed March 9, 2005, have been considered and are persuasive. However, a new ground of rejection is made.

# **Drawings**

3. The drawing objections are corrected.

## Rejections

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### Claim Rejections - 35 USC § 103

5. <u>Claims 1-19</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Zoka</u> (U.S. Patent No. 6,591,249) in view of <u>Johnson</u> (U.S. Patent No. 6,529,885).

Regarding <u>claim 1</u>, <u>Zoka</u> teaches a biometric authentication system comprising a first enterprise system, a second enterprise system, and a communication network interconnecting the first enterprise system and the second enterprise system (fig. 5, ref. num 24, 30, and 48), wherein:

The first enterprise system includes:

Art Unit: 2136

- A registration apparatus for acquiring a user's biometric information in advance of authentication, extracting features therefrom, and converting the features to template data (fig. 3),
- A first authentication apparatus for acquiring the user's biometric information during authentication, extracting features therefrom, and converting the features to authentication data (fig. 2, ref. num 16), and
- A first database server apparatus for receiving the template data from the
  registration apparatus, storing and managing the template data, receiving the
  authentication data from the first authentication apparatus during authentication,
  comparing the authentication data with the template data, thereby authenticating
  the user (fig. 6 and 7); and

The second enterprise system includes:

 A second authentication apparatus for acquiring the user's biometric information, extracting features therefrom, and converting the features to authentication data (fig. 5 and col. 8, line 61 through col. 9, line 3).

Zoka does not teach a second database server apparatus for receiving the authentication data from the second authentication apparatus, requesting corresponding template data from the first database server apparatus, receiving the corresponding template data from the first database server apparatus, comparing the authentication data with the corresponding template data, thereby authenticating the user, and storing and managing the received template data if the user is authenticated successfully.

Art Unit: 2136

Johnson teaches a second database server apparatus for receiving the authentication data from the second authentication apparatus, requesting corresponding template data from the first database server apparatus, receiving the corresponding template data from the first database server apparatus, comparing the authentication data with the corresponding template data, thereby authenticating the user, and storing and managing the received template data if the user is authenticated successfully (fig. 2, col. 6, lines 31-49, and col. 12, line 27 through col. 14, line 19).

It would have been obvious to one or ordinary skill in the art, at the time the invention was made, to combine the second database server apparatus receiving authentication data from the second apparatus, requesting template data from the first apparatus, comparing the received data with the generated data, and storing the received template data, as taught by <u>Johnson</u>, with the system of <u>Zoka</u>. It would have been obvious for such modifications because storing initial authentication information at a source that a user trusts (the web buyer's home bank) provides user trust in online systems. Also, only allowing non-critical data to be supplied to the web seller helps prevent critical data (passwords, account information) from being transmitted across open networks (see col. 14, lines 20-64 of Johnson).

Regarding <u>claim 2</u>, <u>Zoka</u> as modified by <u>Johnson</u> teaches wherein the second database server apparatus sends the authentication data received from the second authentication apparatus to the first database server apparatus, and the first database server apparatus includes a one-to-many biometric identification unit that performs a

one-to-many comparison between the authentication data received from the second database server apparatus and all of the template data stored and managed by the first database server apparatus to find the template data corresponding to the authentication data (see col. 9, lines 3-19 of Zoka).

Regarding <u>claims 3, 6, and 10, Zoka</u> as modified by <u>Johnson</u> teaches wherein the first database server apparatus includes a billing unit that charges the second enterprise system a fee when the second database server apparatus requests corresponding template data and the first database server apparatus sends the corresponding template data and personal information to the second database server apparatus (see col. 13, lines 50-52 of Johnson).

Regarding claim 4, Zoka as modified by Johnson teaches wherein the second database server apparatus sends the authentication data received from the second authentication apparatus to the first database server apparatus when requesting the corresponding template data, and the first database server apparatus includes a one-to-many biometric identification unit that performs a one-to-many comparison between the authentication data received from the second database server apparatus and all of the template data stored and managed by the first database server apparatus to find the template data corresponding to the authentication data (see col. 9, lines 3-19 of Zoka).

Regarding claim 5, Zoka as modified by Johnson teaches wherein:

 The first database server apparatus includes a first personal-information database storing personal information about the user (see col. 5, lines 40-46 of Zoka);

- When the first database server apparatus sends the corresponding template data
  to the second database server apparatus, the first database server apparatus
  also sends the personal information about the user to the second database
  server apparatus (see col. 9, lines 11-19 of Zoka); and
- The second database server apparatus includes a second personal-information database that stores and manages the personal information about the user received from the first database server apparatus (see col. 14, lines 5-19 of Johnson).

Regarding <u>claim 7</u>, <u>Zoka</u> teaches a biometric authentication system comprising a first enterprise system, a second enterprise system, and a communication network interconnecting the first enterprise system and the second enterprise system (fig. 5, ref. num 24, 30, and 48), wherein:

The first enterprise system includes:

- A registration apparatus for acquiring a user's biometric information in advance of authentication, extracting features therefrom, and converting the features to template data (fig. 3),
- A first authentication apparatus for acquiring the user's biometric information during authentication, extracting features therefrom, and converting the features to authentication data (fig. 2, ref. num 16), and

Art Unit: 2136

• A first database server apparatus for receiving the template data from the registration apparatus, storing and managing the template data, receiving the authentication data from the first authentication apparatus during authentication, comparing the authentication data with the template data, thereby authenticating the user, receiving authentication data from the second enterprise system, and returning corresponding template data to the second enterprise system if the corresponding template data is stored in the first database server apparatus (fig. 6 and 7 and col. 9, lines 3-19); and

The second enterprise system includes:

- A simplified registration apparatus for acquiring the user's biometric information during registration, extracting features therefrom, and converting the features to authentication data (col. 1, lines 7-16),
- A second authentication apparatus for acquiring the user's biometric information during authentication, extracting features therefrom, and converting the features to authentication data (fig. 5 and col. 8, line 61 through col. 9, line 3).

Zoka does not teach a second database server apparatus for receiving the authentication data from the simplified registration apparatus and the second authentication apparatus, sending the authentication data received from the simplified registration apparatus to the first database server apparatus, receiving the corresponding template data from the first database server apparatus, storing and managing the received template data, and comparing the authentication data received

Art Unit: 2136

from the second authentication apparatus with the stored template data, thereby authenticating the user.

Johnson teaches a second database server apparatus for receiving the authentication data from the simplified registration apparatus and the second authentication apparatus, sending the authentication data received from the simplified registration apparatus to the first database server apparatus, receiving the corresponding template data from the first database server apparatus, storing and managing the received template data, and comparing the authentication data received from the second authentication apparatus with the stored template data, thereby authenticating the user (fig. 2, col. 6, lines 31-49, and col. 12, line 27 through col. 14, line 19).

It would have been obvious to one or ordinary skill in the art, at the time the invention was made, to combine the second database server apparatus receiving authentication data from the second apparatus, requesting template data from the first apparatus, comparing the received data with the generated data, and storing the received template data, as taught by <u>Johnson</u>, with the system of <u>Zoka</u>. It would have been obvious for such modifications because storing initial authentication information at a source that a user trusts (the web buyer's home bank) provides user trust in online systems. Also, only allowing non-critical data to be supplied to the web seller helps prevent critical data (passwords, account information) from being transmitted across open networks (see col. 14, lines 20-64 of Johnson).

Regarding <u>claim 8</u>, <u>Zoka</u> teaches a database server apparatus for use in a first enterprise system that is linked by a communication network to a second enterprise system (fig. 5, ref. num 24, 30, and 48), for receiving biometric template data and biometric authentication data from the first enterprise system, storing and managing the biometric template data (fig. 6 and 7), comparing the biometric authentication data with the biometric template data, thereby authenticating users of the first enterprise system.

Zoka does not teach supplying the biometric template data on request to the second enterprise system to enable users of the first enterprise system to become registered with the second enterprise system.

<u>Johnson</u> teaches supplying the biometric template data on request to the second enterprise system to enable users of the first enterprise system to become registered with the second enterprise system (fig. 2, col. 6, lines 31-49, and col. 12, line 27 through col. 14, line 19).

It would have been obvious to one or ordinary skill in the art, at the time the invention was made, to combine supplying template data to the second apparatus upon request to enable users of the first apparatus to become registered with the second apparatus, as taught by <u>Johnson</u>, with the apparatus of <u>Zoka</u>. It would have been obvious for such modifications because storing initial authentication information at a source that a user trusts (the web buyer's home bank) provides user trust in online systems. Also, only allowing non-critical data to be supplied to the web seller helps

Art Unit: 2136

prevent critical data (passwords, account information) from being transmitted across open networks (see col. 14, lines 20-64 of Johnson).

Regarding <u>claim 9</u>, <u>Zoka</u> as modified by <u>Johnson</u> teaches comprising a one-to-many biometric identification unit that performs a one-to-many comparison between biometric authentication data received from the second enterprise system and the biometric template stored and managed by the first database server apparatus to find the biometric template data requested by the second enterprise system (see col. 9, lines 3-19 of Zoka).

Regarding <u>claim 11</u>, <u>Zoka</u> as modified by <u>Johnson</u> teaches comprising a personal-information database storing personal information about the users of the first enterprise system, the personal information being sent to the second enterprise system together with the biometric template data requested by the second enterprise system (see col. 5, lines 40-46 of Zoka).

Regarding <u>claim 12</u>, <u>Zoka</u> as modified by <u>Johnson</u> teaches wherein the database server apparatus receives biometric authentication data from the second enterprise system, compares the received biometric authentication data with the requested biometric template data, and sends the requested biometric template data to the second enterprise system only if the received biometric authentication data match the requested biometric template data (see fig. 2, col. 6, lines 31-49, and col. 12, line 27 through col. 14, line 19 of Johnson).

Regarding <u>claim 13</u>, <u>Zoka</u> teaches a database server apparatus for use in a second enterprise system that is linked by a communication network to a first enterprise system (fig. 5, ref. num 24, 30, and 48), for receiving biometric authentication data from the second enterprise system (col. 1, lines 7-16).

Zoka does not teach requesting corresponding biometric template data from the first enterprise system, receiving the requested biometric template data from the first enterprise system, storing and managing the received biometric template data, and comparing the biometric authentication data with the stored biometric template data, thereby authenticating users of the second enterprise system.

Johnson teaches requesting corresponding biometric template data from the first enterprise system, receiving the requested biometric template data from the first enterprise system, storing and managing the received biometric template data, and comparing the biometric authentication data with the stored biometric template data, thereby authenticating users of the second enterprise system (fig. 2, col. 6, lines 31-49, and col. 12, line 27 through col. 14, line 19).

It would have been obvious to one or ordinary skill in the art, at the time the invention was made, to combine requesting template data from the first apparatus, storing the received template data, and comparing the received template data with the produced data for authenticating the user, as taught by <u>Johnson</u>, with the apparatus of <u>Zoka</u>. It would have been obvious for such modifications because storing initial

Art Unit: 2136

authentication information at a source that a user trusts (the web buyer's home bank) provides user trust in online systems. Also, only allowing non-critical data to be supplied to the web seller helps prevent critical data (passwords, account information) from being transmitted across open networks (see col. 14, lines 20-64 of Johnson).

Regarding <u>claim 14</u>, <u>Zoka</u> as modified by <u>Johnson</u> teaches wherein the database server apparatus sends the biometric authentication data received from the second enterprise system to the first enterprise system when requesting the corresponding biometric template data from the first enterprise system (see col. 12, lines 42-56 of Johnson).

Regarding <u>claim 15</u>, <u>Zoka</u> as modified by <u>Johnson</u> teaches comprising a personal-information database for storing personal information about the users of the second enterprise system; the personal information being received from the first enterprise system together with the requested biometric template data (see col. 9, lines 11-19 of Zoka).

Regarding <u>claims 16-19</u>, <u>Zoka</u> as modified by <u>Johnson</u> teaches wherein the first enterprise system receives the user's biometric information from the second enterprise system, uses the user's biometric information to retrieve the template data, and sends the retrieved template data to the second information system; and wherein the second enterprise information system performs authentication using the retrieved template data

Art Unit: 2136

sent by the first enterprise system (see fig. 2, col. 6, lines 31-49, and col. 12, line 27

through col. 14, line 19 of Johnson).

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Brandon S. Hoffman whose telephone number is 571-

272-3863. The examiner can normally be reached on M-F 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ayaz Sheikh can be reached on 571-272-3795. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

RH

Branda 94 ff

SUPERVISORY PATENT EXAMINER

Page 13

TECHNOLOGY CENTER 2100